

SPEC SHEET + MEASUREMENTS



Carhartt® ANSI 107 Class 3 Storm Defender® Jacket. CT106693

Product photo



Get the job done in wet weather while staying seen in this waterproof jacket that meets ANSI/ISEA 107 Class 3 standards.

- 5.25-ounce, 100% polyester three-layer twill
- Meets ANSI 107 Class 3, Type R visibility standards
- Reflective material segmented for breathability
- Storm Defender® waterproof, breathable technology
- Fully-taped waterproof seams
- Attached, adjustable hood
- Full-length waterproof zipper and storm flap
- Adjustable hook and loop cuffs
- Two secure lower zippered pockets
- Two interior drop-in pockets with hook and loop closures
- Carhartt label sewn on bottom left pocket
- Drop tail hem
- Reflective material maintains performance through 75 home launderings
- This garment must be fully zipped to be in compliance with ANSI/ISEA 107 standards

Sketches



front



back

CARE INSTRUCTIONS

Close All Zippers. Machine Wash Cold Like Colors. Do Not Bleach. Tumble Dry Low. Do Not Use Fabric Softeners. Do Not Starch. Do Not Iron. Do Not Dry Clean. High-Visibility Reflective Material. Maximum 75 wash cycles.

SPEC SHEET + MEASUREMENTS



Carhartt® ANSI 107 Class 3 Storm Defender® Jacket.
CT106693

PRODUCT MEASUREMENTS

	S	M	L	XL	2XL	3XL	4XL
Body Length at Back	28 7/8	30	30 1/8	31 1/4	31 3/8	32 1/2	32 5/8
Chest	23	25	27	29	31	33	35
Sleeve Length from Center Back	35 7/8	36 1/2	37 1/8	37 3/4	38 3/8	38 7/8	39 3/8

Body Length at Back: Measured from high point shoulder to finished hem at back.

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

SIZE CHARTS

	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Chest	34-36	38-40	42-44	46-48	50-52	54-56	58-60	62-64	66-68

SPEC SHEET + MEASUREMENTS



Carhartt® ANSI 107 Class 3 Storm Defender® Jacket.
CT106693

HOW TO MEASURE



CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS



Brite Lime